

TRUSS ERECTION NOTIFICATION

To: City of Fort Lauderdale
Building Department

PERMIT NUMBER: _____

ADDRESS: _____

PLEASE BE ADVISED THAT I HAVE BEEN RETAINED TO SUPERVISE THE ERECTION OF TRUSSES IN EXCESS OF 35' IN LENGTH OR 6' IN HEIGHT AT THE ABOVE-REFERENCED ADDRESS.

NAME: _____

ADDRESS: _____

LICENSE #: _____

FBC 4409.6.17.2.4 Truss erection.

FBC 4409.6.17.2.4.1 All trusses shall be erected in accordance with Truss Plate Institute Manual Commentary and Recommendations for Handling and Bracing Metal Plate Connected Wood Trusses (HIB-91) in addition to any requirements indicated on the approved permit document.

FBC 4409.6.17.2.4.2 For trusses having an overall length of the bottom chord in excess of 35 feet (10.7 m) or 6 feet (1829 mm) overall height erection shall be supervised by either a Registered Professional Engineer or Registered Architect retained by the contractor. **A retainer letter from the Registered Professional Engineer or Registered Architect shall be submitted along with the shop drawings as part of the permit document.**

44.6.17.2.4.3 Temporary bracing shall be required during the erection of roof trusses to keep the trusses in a true plumb position and to prevent toppling of the trusses during erection, until the roof sheathing is applied. The provisions for temporary bracing shown in HIB-91 shall be used for this bracing or a Professional Engineer or Architect shall design the temporary bracing system. The ultimate responsibility to see this bracing is installed properly during the erection process lies with the permit holder. This bracing is extremely important for the protection of life and property during the erection process. Temporary truss bracing shall always be required.